

SIZE GUIDE

RINGS


1. Choosing the right size for your finger

It is best to measure your finger at the end of the day, ideally avoiding any unusually hot or cold environmental factors.

Don't forget that hands are not perfectly identical: a ring usually worn on a finger on the left hand may not fit the same finger on the right hand.

Check that your chosen size runs easily along the entire length of your finger.

Use a tape measure to measure your finger but remember to take the measurement in millimetres. Compare your measurement with the list below to find the correct ring size for your finger.



2a. How to use the Salvini comparison guide

Choose a ring that fits you well and place it on the circles of the Salvini comparison guide below to find its equivalent size.

When printing the guide, remember to click the “actual size” option in the print options window (and not “fit to scale”).

Tip: if your ring is between two circles, choose the larger size.

WRONG ALIGNMENT

The inner edge of the ring is not aligned with the outer edge of the circle, or the inner edge of the ring is not aligned with the outer edge of the circle.



CORRECT ALIGNMENT

The inner edge of the ring is aligned with the outer edge of the circle.



2b. Salvini comparison guide



14.01 mm



14.33 mm



14.65 mm



14.97 mm



15.29 mm



15.61 mm



15.92 mm



16.24 mm



16.56 mm



16.88 mm



17.20 mm



17.52 mm



17.83 mm



18.15 mm



18.47 mm



18.79 mm



19.11 mm



19.43 mm



19.75 mm



20.06 mm



20.38 mm



20.70 mm



21.02 mm



21.34 mm



21.66 mm



21.97 mm



22.29 mm



22.61 mm

3. Measurement for country

Italy	Diameter	Circumference	France	Great Britain	USA	Japan
1	13,0 mm	40,8 mm	41	B	--	1
2	13,3 mm	41,8 mm	42	D	0	2
3	13,6 mm	42,7 mm	43	--	2,5	3
4	14,0 mm	44,0 mm	44	F	--	4
5	14,3 mm	44,9 mm	45	--	3	5
6	14,6 mm	45,8 mm	46	H	3,5	6
7	14,9 mm	46,8 mm	47	I	4	7
8	15,3 mm	48,0 mm	48	I-1/2	--	8
9	15,6 mm	49,0 mm	49	J	4,5	9
10	16,0 mm	50,2 mm	50	K	5	10
11	16,2 mm	50,9 mm	51	L-1/2	5,5	--
12	16,5 mm	51,8 mm	52	--	6	--
13	16,8 mm	52,8 mm	53	N	--	--
14	17,2 mm	54,0 mm	54	--	--	--
15	17,4 mm	54,6 mm	55	--	7	--
16	17,8 mm	55,9 mm	56	P	--	--
17	18,1 mm	56,8 mm	57	Q	8	--
18	18,5 mm	58,1 mm	58	--	--	--
19	18,8 mm	59,0 mm	59	R	--	--
20	19,2 mm	60,3 mm	60	S	--	--
21	19,5 mm	61,2 mm	61	--	9,5	--
22	19,8 mm	62,2 mm	62	T-1/2	10	--
23	20,0 mm	62,8 mm	63	--	--	22
24	20,4 mm	64,1 mm	64	V	--	23
25	20,6 mm	64,7 mm	65	W	11	24
26	21,0 mm	65,9 mm	66	X	--	25
27	21,2 mm	66,6 mm	67	--	--	--
28	21,5 mm	67,5 mm	68	--	--	--
29	21,9 mm	68,8 mm	69	--	--	--
30	22,2 mm	69,7 mm	70	1	13	29
31	22,5 mm	70,7 mm	71	2	--	30